



Annexes au document « Pour un véritable débat sur la crise sanitaire de la Covid 19 »

Tableau comparatif du nombre d'effets secondaires du Mediator (Benfluorex), des vaccins Covid 19, de l'ivermectine, et du vaccin Diphtérie Tetanos au 22/09/2021 (base de données OMS <http://vigiaccess.org>). Le Mediator a été mis sur le marché en France en 1976 pour être retiré en 2009 en raison de ses effets secondaires au niveau cardiaque. Il a été commercialisé dans de nombreux pays. En France, il est suspecté d'avoir entraîné le décès de 500 à 2000 personnes. L'affaire du Mediator a révélé les défaillances de l'Agence Nationale de Sécurité du Médicament en France, et de l'Agence européenne du médicament. Les vaccins Covid ont 26 fois plus d'effets secondaires au niveau cardiaque que le Mediator. Ils touchent également de nombreux organes.


Effets secondaires du Mediator sur environ 33 ans : 4 825 cas	Effets secondaires des vaccins Covid en 9 mois : 2 068 596 cas
<p>benfluorex contains the active ingredient(s): Benfluorex. Result is presented for the active ingredient(s). Total number of records retrieved: 4825.</p>	<p>covid-19 vaccine contains the active ingredient(s): Covid-19 vaccine. Result is presented for the active ingredient(s). Total number of records retrieved: 2068596.</p>
istribution	istribution
▼Adverse drug reactions (ADRs)	▼Adverse drug reactions (ADRs)
<ul style="list-style-type: none"> ▶ Blood and lymphatic system disorders (72) ▶ Cardiac disorders (3778) ▶ Congenital, familial and genetic disorders (171) ▶ Ear and labyrinth disorders (63) ▶ Endocrine disorders (38) ▶ Eye disorders (50) ▶ Gastrointestinal disorders (161) ▶ General disorders and administration site conditions (692) ▶ Hepatobiliary disorders (75) ▶ Immune system disorders (21) ▶ Infections and infestations (144) ▶ Injury, poisoning and procedural complications (65) ▶ Investigations (472) ▶ Metabolism and nutrition disorders (110) ▶ Musculoskeletal and connective tissue disorders (118) ▶ Neoplasms benign, malignant and unspecified (incl cysts and polyps) (84) ▶ Nervous system disorders (451) ▶ Pregnancy, puerperium and perinatal conditions (6) ▶ Product issues (7) ▶ Psychiatric disorders (270) ▶ Renal and urinary disorders (142) ▶ Reproductive system and breast disorders (17) ▶ Respiratory, thoracic and mediastinal disorders (1795) ▶ Skin and subcutaneous tissue disorders (139) ▶ Social circumstances (18) ▶ Surgical and medical procedures (662) ▶ Vascular disorders (597) 	<ul style="list-style-type: none"> ▶ Blood and lymphatic system disorders (82988) ▶ Cardiac disorders (98356) ▶ Congenital, familial and genetic disorders (1073) ▶ Ear and labyrinth disorders (68545) ▶ Endocrine disorders (2688) ▶ Eye disorders (76111) ▶ Gastrointestinal disorders (433412) ▶ General disorders and administration site conditions (1270331) ▶ Hepatobiliary disorders (3965) ▶ Immune system disorders (28674) ▶ Infections and infestations (132247) ▶ Injury, poisoning and procedural complications (98574) ▶ Investigations (274719) ▶ Metabolism and nutrition disorders (47496) ▶ Musculoskeletal and connective tissue disorders (615305) ▶ Neoplasms benign, malignant and unspecified (incl cysts and polyps) (2940) ▶ Nervous system disorders (903156) ▶ Pregnancy, puerperium and perinatal conditions (4310) ▶ Product issues (3563) ▶ Psychiatric disorders (98331) ▶ Renal and urinary disorders (16444) ▶ Reproductive system and breast disorders (74429) ▶ Respiratory, thoracic and mediastinal disorders (218472) ▶ Skin and subcutaneous tissue disorders (288783) ▶ Social circumstances (14370) ▶ Surgical and medical procedures (17604) ▶ Vascular disorders (112154)

Effets secondaires de l'ivermectine depuis environ 40 ans : 5648 cas	Effets secondaires du vaccin Diphtérie Tetanos depuis environ 80 ans : 47 787 cas
 <p>ivermectin</p> <p>ivermectin contains the active ingredient(s): Ivermectin. Result is presented for the active ingredient(s). Total number of records retrieved: 5648.</p>	 <p>DT vaccine</p> <p>DT vaccine contains the active ingredient(s): Diphtheria vaccine;Tetanus vaccine. Result is presented for the active ingredient(s). Total number of records retrieved: 47787.</p>


A la date du 22 septembre 2021, l'Agence européenne du médicament (www.adrepports) suspecte 3200 morts pour des effets secondaires des 4 vaccins Covid (Pfizer, Moderna, Astrazeneca, Janssen) au niveau cardiaque. D'autres décès sont suspectés pour des effets secondaires touchant d'autres organes.

Rappelons que 85,70 % des recettes de l'Agence européenne du médicament provenaient en 2019 de redevances payées par l'industrie pharmaceutique.


Atteintes cardiaques : 1789 décès suspectés pour le vaccin Pfizer au 18 septembre 2021




Troubles généraux : 3403 décès suspectés pour le vaccin Pfizer au 18 septembre 2021




Infections : 1170 décès suspectés pour le vaccin Pfizer au 18 septembre 2021



Atteintes du système nerveux : 1314 décès suspectés pour le vaccin Pfizer au 18 septembre 2021



Atteintes respiratoires, thoraciques et médiastinales : 1414 décès suspectés pour le vaccin Pfizer au 18/09/2021



Evénements indésirables potentiellement liés au vaccin Comirnaty (Pfizer) en France
([rapport n°18 de l'ANSM](#), cas cumulés du 27/12/2020 au 26/08/2021)

	Cas cumulés N = 46 817 (%)
Cas graves, N (%)	12 973 (27.7)
Critère de gravité	
Anomalies congénitales	9 (0.0)
Décès	905 (1.9)
Mise en jeu du pronostic vital*	649 (1.4)
Hospitalisation*	4058 (8.7)
Invalité ou incapacité	300 (0.6)
Médicalement significatif	7052 (15.1)
Sexe, N (%)	
Masculin	4957 (10.6)
Féminin	7985 (17.1)
Inconnu	31 (0.1)
Tranches d'âge, N (%)	
12-15	73 (0.2)
16-18	135 (0.3)
19-24	520 (1.1)
25-29	371 (0.8)
30-49	3103 (6.6)
50-64	3116 (6.7)
65-74	2015 (4.3)
75-84	1960 (4.2)
≥ 85	1581 (3.4)
Inconnu	99 (0.2)
Évolution, N (%)	
En cours de rétablissement/résolution	3959 (8.5)
Rétabli/résolu	3500 (7.5)
Rétabli/résolu avec séquelles	314 (0.7)
Non rétabli/non résolu	3918 (8.4)
Décès	906 (1.9)
Inconnu	376 (0.8)

On estime que moins de 10 % des effets secondaires liés à un médicament sont déclarés